## MARYLAND HISTORICAL TRUST DETERMINATION OF ELIGIBILITY FORM

NR Eligible: yes X

operty Name: Ford/Sterling House	Inventory Number: SM-343
Address: 22770 Washington Street	Historic district: yes X no
City: Leonardtown Zip Code: 20650	County: Saint Marys
USGS Quadrangle(s): Leonardtown	
Property Owner: Elizabeth and Thomas Hicks and Robert Schick T	ax Account ID Number: 024423
Tax Map Parcel Number(s): 476 Tax Map Number	r: <u>133</u>
Project: MD 5 Business within Leonardtown Town Limits Streetscape Agency:	Maryland State Highway Administration
Agency Prepared By: Maryland State Highway Administration	
Preparer's Name: Anne Bruder and Stacey Streett	Date Prepared: 12/28/2005
Documentation is presented in: Maryland Inventory of Historic Properties Survey Compliance Files	Form SM-343 and Project and Review
Preparer's Eligibility Recommendation: X Eligibility recommended	Eligibility not recommended
Criteria: A B X C D Considerations: A B	CDEFG
Complete if the property is a contributing or non-contributing resource	
Name of the District/Property:	
Inventory Number: Eligible: yes	Listed: yes
Le visit by MHT Staff yes X no Name:	Date:
Description of Property and Justification: (Please attach map and photo)	
Note: Please refer to the Maryland Inventory of Historic Properties (MIHP) Form S architecture and historic context.	SM-343 for specific information regarding the
The Ford/Sterling House was constructed circa 1850s, with a circa 1910 turret and of is an Italianate-style, two-story frame building with a hipped roof that is located on the circa 1850s.	
west. It is three bays wide by three rooms deep and topped with a flat roof. A full-vis located on the façade (west elevation) and south elevation. Decorative square col story, Queen-Anne-style turret is located on the northwest corner of the façade. It is pressed-tin shingles; a finial is located on the pinnacle of the roof.	width, first-story, wrap-around, shed-roof porch lumns support the porch. A three-sided, two-
is located on the façade (west elevation) and south elevation. Decorative square col story, Queen-Anne-style turret is located on the northwest corner of the façade. It is	width, first-story, wrap-around, shed-roof porch lumns support the porch. A three-sided, two- stopped by a steep, four-sided roof clad in luminum siding. There are two large, nine-over- nked by louvered shutters. The remaining x, double-hung, sash windows. Shutters flank
is located on the façade (west elevation) and south elevation. Decorative square col story, Queen-Anne-style turret is located on the northwest corner of the façade. It is pressed-tin shingles; a finial is located on the pinnacle of the roof.  The building is supported by a brick foundation, and the exterior walls are clad in al six, double-hung sash windows located on the first story of the façade, which are flat fenestration on the nineteenth-century portion of the building consists of six-over-six	width, first-story, wrap-around, shed-roof porch lumns support the porch. A three-sided, two- stopped by a steep, four-sided roof clad in luminum siding. There are two large, nine-over- nked by louvered shutters. The remaining x, double-hung, sash windows. Shutters flank
is located on the façade (west elevation) and south elevation. Decorative square col story, Queen-Anne-style turret is located on the northwest corner of the façade. It is pressed-tin shingles; a finial is located on the pinnacle of the roof.  The building is supported by a brick foundation, and the exterior walls are clad in al six, double-hung sash windows located on the first story of the façade, which are flat fenestration on the nineteenth-century portion of the building consists of six-over-six the majority of the windows on the façade only. The turret is pierced by one-over-or-	width, first-story, wrap-around, shed-roof porch lumns support the porch. A three-sided, two- stopped by a steep, four-sided roof clad in luminum siding. There are two large, nine-over- nked by louvered shutters. The remaining x, double-hung, sash windows. Shutters flank
is located on the façade (west elevation) and south elevation. Decorative square coll story, Queen-Anne-style turret is located on the northwest corner of the façade. It is pressed-tin shingles; a finial is located on the pinnacle of the roof.  The building is supported by a brick foundation, and the exterior walls are clad in all six, double-hung sash windows located on the first story of the façade, which are flat fenestration on the nineteenth-century portion of the building consists of six-over-six the majority of the windows on the façade only. The turret is pierced by one-over-omagnetic management of the single process of the single process of the single process.  MARYLAND HISTORICAL TRUST REVIEW  Eligibility recommended  Eligibility not recommended  Criteria:   A  B  C  D  Considerations:  A	width, first-story, wrap-around, shed-roof porch lumns support the porch. A three-sided, two-stopped by a steep, four-sided roof clad in luminum siding. There are two large, nine-overnked by louvered shutters. The remaining x, double-hung, sash windows. Shutters flank me, double-hung sash windows. Window
is located on the façade (west elevation) and south elevation. Decorative square coll story, Queen-Anne-style turret is located on the northwest corner of the façade. It is pressed-tin shingles; a finial is located on the pinnacle of the roof.  The building is supported by a brick foundation, and the exterior walls are clad in all six, double-hung sash windows located on the first story of the façade, which are flat fenestration on the nineteenth-century portion of the building consists of six-over-six the majority of the windows on the façade only. The turret is pierced by one-over-omagnetic management of the single process of the single process of the single process.  MARYLAND HISTORICAL TRUST REVIEW  Eligibility recommended  Eligibility not recommended  Criteria:   A  B  C  D  Considerations:  A	width, first-story, wrap-around, shed-roof porch lumns support the porch. A three-sided, two-stopped by a steep, four-sided roof clad in luminum siding. There are two large, nine-overnked by louvered shutters. The remaining x, double-hung, sash windows. Shutters flank me, double-hung sash windows. Window
is located on the façade (west elevation) and south elevation. Decorative square coll story, Queen-Anne-style turret is located on the northwest corner of the façade. It is pressed-tin shingles; a finial is located on the pinnacle of the roof.  The building is supported by a brick foundation, and the exterior walls are clad in all six, double-hung sash windows located on the first story of the façade, which are flat fenestration on the nineteenth-century portion of the building consists of six-over-six the majority of the windows on the façade only. The turret is pierced by one-over-omagnetic management of the single process of the single process.  MARYLAND HISTORICAL TRUST REVIEW  Eligibility recommended  Eligibility not recommended	width, first-story, wrap-around, shed-roof porch lumns support the porch. A three-sided, two-stopped by a steep, four-sided roof clad in luminum siding. There are two large, nine-overnked by louvered shutters. The remaining x, double-hung, sash windows. Shutters flank ne, double-hung sash windows. Window  B C D E F G
is located on the façade (west elevation) and south elevation. Decorative square col story, Queen-Anne-style turret is located on the northwest corner of the façade. It is pressed-tin shingles; a finial is located on the pinnacle of the roof.  The building is supported by a brick foundation, and the exterior walls are clad in al six, double-hung sash windows located on the first story of the façade, which are flat fenestration on the nineteenth-century portion of the building consists of six-over-six the majority of the windows on the façade only. The turret is pierced by one-over-omegative majority of the windows on the façade only. The turret is pierced by one-over-omegative majority recommended  Criteria:   A  B  C  D  Considerations:  A  MHT Comments: Associated with laonard-town's 19th Century of the building type  Control of the	width, first-story, wrap-around, shed-roof porch lumns support the porch. A three-sided, two-stopped by a steep, four-sided roof clad in luminum siding. There are two large, nine-overnked by louvered shutters. The remaining x, double-hung, sash windows. Shutters flank me, double-hung sash windows. Window  B C D E F G  D LE F G  D LE F G
is located on the façade (west elevation) and south elevation. Decorative square coll story, Queen-Anne-style turret is located on the northwest corner of the façade. It is pressed-tin shingles; a finial is located on the pinnacle of the roof.  The building is supported by a brick foundation, and the exterior walls are clad in all six, double-hung sash windows located on the first story of the façade, which are flat fenestration on the nineteenth-century portion of the building consists of six-over-six the majority of the windows on the façade only. The turret is pierced by one-over-omagnetic management of the single process of the single process of the single process.  MARYLAND HISTORICAL TRUST REVIEW  Eligibility recommended  Eligibility not recommended  Criteria:   A  B  C  D  Considerations:  A	width, first-story, wrap-around, shed-roof porch lumns support the porch. A three-sided, two-stopped by a steep, four-sided roof clad in luminum siding. There are two large, nine-overnked by louvered shutters. The remaining x, double-hung, sash windows. Shutters flank ne, double-hung sash windows. Window  B C D E F G

#### Ford/Sterling House

Page 2

configurations on the kitchen ell are six-over-six and two-over-two. The main entrance is located under the front porch adjacent to the turret on the north side of the façade. A transom is placed just above the door lintel.

A full-width, shed-roof, screened porch extends from the east elevation. It is supported by identical columns as those found on the wrap-around porch. The two-story kitchen ell is adjacent to the north elevation and projects beyond the east (rear) side of the house. It is topped by a shed roof that slants to the south.

An extremely low-pitched hipped roof tops the main portion of the building, and is covered in raised-seam metal shingles. The roof terminates in a wide-eave boxed cornice. A pair of interior brick chimneys with corbelled caps punctuates the roof.

The interior plan of the original section is a double-pile, side-passage configuration. Intricate woodwork and interior features remains intact throughout the first floor.

The property is bordered by a sloping terrace and woods to the east, by Wesley Chapel (SM-530) to the south, a wooded parcel to the north, and by Washington Street on the west. Evergreen and flowering shrubs accent the front lawn and sides of the house and various deciduous trees are located around the residence. Frame outbuildings located east of the residence vary in date, from contemporary with the house to modern. The historic boundary is confined to St. Mary's County tax parcel 476 on tax map 133.


#### History

The property was purchased by John Batzell in 1848, who then likely conveyed it to his daughter Ellen and her husband, Judge Robert Ford. After 1885, the property went through several exchanges of ownership. In 1911, Ruth Sterling and her husband Lynwood purchased the house and made significant additions to the building, such as the Queen Anne-style turret and a two-story kitchen ell on the north elevation. The property was still under the ownership of the Sterling family during the 1980 survey.

### Significance

ased on the information in the 1980 and 1997MIHP Forms and SHA's field visit, the Ford/Sterling House is eligible for inclusion in the National Register of Historic Places (NRHP) under Criterion C (architecture). It is a significant example of a vernacular Italianate-style dwelling with Queen Anne-style modifications in Leonardtown. Previous research indicated a possible important association with Judge Robert Ford. However, further research did not uncover any significant local, state, or national importance or events associated with Judge Robert Ford, an early resident of the house. Therefore the Ford/Sterling House is not eligible for inclusion in the NRHP under Criteria A or B. Criterion D was not investigated as part of the historic standing structures study.


Eligibility re	ecommen	ded		Elig	gibility not recommend	ded						
Criteria:	A nents:	_В _	c	D	Considerations:	A	В .	C _	D _	Е.	F	G
Dis.												
	Review	er, Offic	e of Pres	servatio	on Services			Date	»—————		<b>.</b>	






SM 343 STERLING HOWER ST. MARY'S CO.MD PARUDER LOOKING AT SOMTHIND WEST FACADO My Sllow

SM-343 Sterling House (Ford House) 22770 Washington Street (MD 326), Leonardtown Sanborn Map 1928, Sheet 3



SM-343 Sterling House (Ford House) 22770 Washington Street (MD 326), Leonardtown Leonardtown quad 1963 (Photorevised 1984, Bathymetry added 1982)



National Web Map Service 6" Orthophoto Map, c. 2007-08

Tax Map 133, P. 476



The Ford/Sterling House, constructed in the 1850's, is a significant two-story, three bay, Italianate-style dwelling located near the commercial heart of Leonardtown, Maryland. While an important example of the Italianate-style in Leonardtown, the house also has important associations with a county judge and possibly with a pair of local contractors.

In 1848 John Baltzell purchased a 1 3/4 acre tract in Leonardtown from Ann Carpenter. Baltzell, a native of Frederick County, Maryland, presumably purchased the lot for his daughter Ellen M. Baltzell and her husband Judge Robert Ford. While Judge Ford was apparently living on the lot as early as the 1840's, the architectural evidence found in the Ford/Sterling house as well as other nearby dwellings suggests a later construction date. Eldon (SM-338), for instance, constructed in 1867, features nearly identical exterior details, massing, fenestration, floor plan, stair newel, and stair brackets. Eldon was built for Robert C. Combs and his wife Ruth E. (Ford) Combs (the daughter of Judge Robert and Ellen Ford) by Thomas C. Greenwell and George Horne. Because of the exterior and interior similarities between the two dwellings it is plausible that the two were built by the same builder.

In 1885, the heirs of Judge Robert Ford sold the property to Margaret Ellen Boyd who then transferred the property to J. Parran Crane and Mollie D. Crane in 1891. In 1911, the Cranes sold the house to Lynwood J. and Ruth E. Sterling who constructed a significant addition to the house. Because of their growing family, the Sterling's built a Queen-Anne style turret as

Capsule Summary SM-343 Ford/Sterling House Leonardtown Private (Page 2)

well as a rear kitchen ell on the north side of the dwelling. According to oral tradition, the addition was styled after the Sterling's old home on the Eastern Shore. The three sided, two story, turret featured a steep four sided roof covered with pressed-tin shingles. This design also has precursors in Leonardtown such as the c. 1899 W.W. Sawyer House (SM-365). At present, the Ford/Sterling house remains under the Sterling family ownership.

## SM-343, Ford/Sterling House St. Mary's County Maryland Comprehensive State Historic Preservation Data

<u>Historic Context</u> Geographic Organization:

Western Shore

Chronological/Developmental Period:

Agricultural-Industrial Transition, 1815-1870

Historic Period Theme:

Architecture

Resource Type

Category:

Buildng

Historic Environment:

Town

Historic Function and Use:

Dwelling

Known Design Source:

None

## MARYLAND INVENTORY OF

# Maryland Historical Trust State Historic Sites Inventory Form

Magi No.

DOE \_\_yes \_\_no

1. Name (indicate prefe	erred name)	VIV. 1010	
historic Ford House			
and/or common Sterling House (pref.)			
2. Location			
street & number 22770 Washington Street	(new numbering sy	stem) _	not for publication
city, town Leonardtown	vicinity of	congressional district	3
state Maryland	county St	. Mary's	TM 133, P 476
3. Classification			
district public building(s) x private structure both site	Status  X occupied  unoccupied  work in progress  Accessible  X yes: restricted  yes: unrestricted  no	Present Use agriculture commercial educational entertainment government industrial military	museum park X private residence religious scientific transportation other:
4. Owner of Propert	<b>y</b> (give names and	l mailing addresse	es of <u>all</u> owners)
name Mary T. Sterling, et al			
street & number PO Box 203		telephone n	10.: 301-475-2447
city, town Leonardtown	state a	nd zip code Md 2	0650
5. Location of Legal			277 gassan
courthouse, registry of deeds, etc. St. M			liber EWA 980
street & number			folio 244
city, town Leonardtown		state I	Maryland
6. Representation in	n Existing	Historical Surv	reys
title Sterling House			
date September 1980		federal sta	te <u>x</u> county <u>x</u> loca
epository for survey records Maryland Hist	torical Trust	E	
city, town Crownsville		state l	Maryland

## 7. Description

Survey No. SM-343

Condition X excellent	deteriorated	Check one unaltered	Check one _X_ original site	
good fair	ruins unexposed	_X_ altered	moved date of move	8

Prepare both a summary paragraph and a general description of the resource and its various elements as it exists today.

## Contributing Resource Count: 1

The Sterling House is located on the east side of Washington Street approximately 0.2 miles south of the intersection of Washington Street and Route 5 in the heart of Leonardtown's historic and commercial center. The dwelling is oriented on a east/west axis and is situated on a steep easterly sloping 1.3 acre parcel. The east slope has been diminished by a series of two grassy terraces. The house is bounded on the west by Washington Street, on the south by the Wesley Chapel (SM-530), on the east by a wooded tract, and to the north by a vacant wooded town lot.

The Sterling house, constructed c. 1850s, is a two story, three bay, Italianate-style dwelling with a side-passage, double-pile plan and a c. 1910s two story addition. The original section of the dwelling rests on a five-to-one common bond brick foundation while the addition is situated on a seven-to-one common bond brick foundation. The frame walls are sheathed with aluminum siding. The wide projecting eaves feature an enclosed cornice. The hipped roof over the main section is sheathed with raised-seam metal, while the roof of the turret addition is composed of decorative pressed metal shingles and raised-seam metal. The roof is pierced by two interior brick chimneys that each contain raised or projecting panels much like those found at Greenbriar (SM-211) and Eldon (SM-338).

The primary or west elevation consists of the original two-story, three bay section and the c. 1910s, three sided, two-story turret. The original section is pierced by two, nine-over-six, double-hung sash windows--each window featuring a pair of louvered shutters--and a pair of panelled French or swinging doors with a single light transom overhead. The first floor of the original section is entirely shaded by a wrap around porch supported by a series of square columns that feature bands of trim near their tops to indicate capitals. The second floor features three, six-over-six windows with each window exhibiting a pair of louvered shutters. On the first and second floor, the c. 1910s turret features three sides with each side containing a one-over-one window. The roof of the turret is covered with pressed metal shingles and the peak exhibits a finial.

The south elevation of the original section is pierced on the first floor by two, six-over-six windows. The porch wraps around the southwest corner of the dwelling to shade these two openings. The second floor is pierced by three, six-over-six windows. This elevation also features a c. 1910 two-story, shed roof (similar to the roofs found on so called "flounder houses" in urban areas such as Georgetown and Annapolis, Maryland) addition that extends beyond the rear of the house. This addition features a six-over-six window on the first floor and a six-over-six window and two-over-two window on the second floor.

The east elevation features the rear sides of the original section and the 1910s additions. The original section is pierced by a paired set of six-over-six windows and a six panel door on the first floor. These bays are shaded by a porch with square columns with the identical use of trim to indicate capitals. Three, six-over-six windows pierce the second floor. Between the original section and the projecting addition is a door on the first floor that leads to the rear porch and a two-over-two window on the second floor. The projecting addition features a six-pane-over-three-panel door that permits access to the basement. This door is protected by a projecting eave

8.	Sian	ifican	ce
	0.9		

support.

Survey No. SM-343

1400 1500 1600 1700	nistoric D-1499 D-1599 D-1699 D-1799 D-1899	Areas of Significance— archeology-prehistoric archeology-historic agriculture x architecture art commerce communications	Check and justify below  community planning  conservation  economics  education  engineering  exploration/settlemen  industry  invention	Iandscape architectu Iaw Iiterature Iiteratury Imusic thus philosophy Interpretation of the control of the cont	re religion science sculpture social/ humanitarian theater transportation other (specify)
Specific	dates		Builder/Architect		
check:	aı	nd/or	<u>x B x C _ D</u>	1-4	pettag ==
	App1	icable Exception: _	_ABCD	EFG	
	Leve	l of Significance: _	_national x_state	x_local	
Prepare	both	a summary paragraph	of significance and	a general statement	of history and

The Ford/Sterling House, constructed in the 1850s, is a significant Italianate-style dwelling located near the commercial heart of Leonardtown, Maryland. While an important example of the Italianate-style in Leonardtown, the house also has important associations with a county judge and

possibly with a pair of local contractors.

In 1848 John Baltzell purchased a 1 3/4 acre tract in Leonardtown from Ann Carpenter. Baltzell, a native of Frederick County, Maryland, presumably purchased the lot for his daughter Ellen M. Baltzell and her husband Judge Robert Ford. Interestingly, Judge Ford is listed as already living on the lot when Baltzell bought the town lot. While this points to a c. 1840s construction date, the architectural evidence found in the Ford/Sterling house suggests a later date. First, the Italianate-style did not emerge in St. Mary's County until, at the earliest, the 1850s. Second, a very similar house, Eldon (SM-338) was not constructed until 1867. Eldon features a nearly identical floor plan, stair newel, and stair brackets. The mantles at the Ford/Sterling House, however, feature a squatty, rectilinear, and more severe appearance than the mantles at Eldon thus pointing to a pre-Civil War construction date.

Interestingly, Eldon was built for Robert C. Combs and his wife Ruth E. (Ford) Combs (the daughter of Judge Robert and Ellen Ford) by Thomas C. Greenwell and George Horne. Because of the exterior and interior similarities between the two dwellings it seems plausible that the two were built by the same builder. The familial and architectural ties between these two buildings need to be more closely investigated.

Judge Robert and Ellen Ford had three children Ruth E., J. Frank, and P. Frances. The prominent status of the Ford family is confirmed by the activities of at least two of their children. As previously mentioned Ruth E. Ford married a prominent local lawyer Robert C. Combs and J. Frank Ford eventually became the St. Mary's County Clerk of the Circuit Court. In 1885, the heirs of Judge Robert Ford sold the property to Margaret Ellen Boyd for \$1000. Margaret and Thomas Boyd then sold the property to J. Parran Crane and Mollie D. Crane in 1891. In 1911, the Cranes sold the house to Lynwood J. and Ruth E. Sterling.

10.	Geograp	hical Data			
Quadrar	of nominated proper ngle name Leonardt ferences do NOT		cences	Quadrang	gle scale 1:24 000
AZone	Easting	Northing	B Zone	Easting	Northing
с 🖳			D	لتبليل	
E	لتبليلا		F L	ليباييا	
GL	لبيابا		н	ليبابيا	
	s per deed description	on. es for properties over code	lapping state or co	unty boundaries	code
state		code	county		code
11.		epared By	urveyor	× 1	
organiza	ation St. Mary's Cou	unty Planning and Zonin	ng <b>da</b>	ate April 1997	
street &	number 22740 Wash	nington Street	te	lephone 301–475-	-4662
city or to	own Leonardtown		et	ate Maryland	

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement.

The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

return to:

Maryland Historical Trust Shaw House 21 State Circle Annapolis, Maryland 21401 (301) 269-2438

DHCP/DHCD 100 COMMUNITY PLAC CROWNSVILLE, MD 21032-2 -514-7600



SM-343, Sterling House St. Mary's County 7.1 Description

supported by a pair of brackets. A six-over-six window with a modern planter box over it pierces the first floor.

The north elevation consists of two simultaneously constructed sections, separated by a slight jog in the wall. The eastern section of this elevation is pierced by two, six-over-six windows. A six-over-six window located between the two floors provides light to a rear service stair. The second floor is pierced by two, six-over-six windows. The western section is pierced by two elongated two-over-two windows on the first floor and three, smaller sized two-over-two windows on the second floor.

The interior of the original section features a double-pile, side-passage plan. The stair passage features an open string stair with a squatty-shaped turned newel, rounded balusters, and scroll sawn stair brackets. From the stair passage, both the front and rear parlors can be entered via a six panel door surrounded by an architrave. The parlors are separated by a pair of pocket-sliding doors that are panelled. Each of the parlors feature a mantle decorated with a pair of squatty, square-shaped, engaged columns that support a plain fascia frieze and a shelf. The rear parlor mantle also features a semicircular opening for the firebox. This opening's edge is decorated with a grapevine motif. The ceilings on the first floor are twelve feet high. The stair passage also permits entry into the c. 1910s addition. The northwest corner room served as the dining room and still contains the family table that could serve at least twenty people. The door and window surrounds of this room and the other rooms in the addition feature corner blocks and reeded trim. To the east of the dining room is space that leads to the rear kitchen ell. The kitchen ell features a pantry and food preparation area. This section of the house is sheathed with diagonally placed beaded matchstick and features an enclosed service stair. The second floor of the house was inaccessible at the time of the visit.

SM-343, Ford/Sterling House

St. Mary's County 8.1 Significance

Chain-of-Title

(All deeds are located at the Land Records Office, St. Mary's County Courthouse, Leonardtown, Maryland unless otherwise noted.)

Reference: Liber EWA 980, Folio 244

Grantee: Mary Theresa Sterling and Joseph Ernest Bell II and St. Aloysius R.C. Church

Grantor: John M. Sterling Date: August 17, 1993

Notes: The deed notes that the tract contains 1.3 acres and contains a two story frame house.

Reference: Liber EWA 980, Folio 241

Grantee: John M. Sterling (son of John B. and Nell L. Sterling)
Grantor: John M. Sterling (personal representative of Nell L. Sterling)

Date: August 17, 1993

Notes: Nell L. Sterling died on July 8, 1992 intestate so John M. Sterling was appointed personal

representative.

Reference: Liber EWA 980, Folio 2

Grantee: Nell L. Sterling

Grantor: John M. Sterling acting on behalf of Nell L. Sterling

Date: August 17, 1993

Notes: In 1964 Ruth Sterling died. She was survived by 12 children and 5 grandchildren. The property was then conveyed to Nell L. Sterling by John M. Sterling who acted on her behalf as the personal representative of the estate of John B. Sterling.

Reference: Liber EBA 9, Folio 188

Grantee: Lynwood J. and Ruth E. Sterling Grantor: J. Parran Crane and Mollie D. Crane

Date: January 27, 1911

Reference: Liber JFF 12, Folio 436 Grantee: J. Parran and Mollie D. Crane Grantor: Thomas and Margaret E. Boyd

Date: March 26, 1891

Notes: The property is purchased from the Boyds for \$2000.

Reference: Liber JFF 9, Folio 377 Grantee: Margaret Ellen Boyd

Grantor: J. Frank Ford and Ida C. Ford, Robert C. Combs and Ruth E. Combs, and Frances P.

Ford -- heirs of Ellen M. Ford and Robert Ford

Date: December 15, 1885

Notes: Margaret Ellen Boyd purchased the property for \$1000. The deed also notes that Ellen M. (Baltzell) Ford received the property from her father John Baltzell of Frederick City, Maryland. His will, made on November 20, 1850, advanced \$2500 to his daughter to purchase a house and lot in Leonardtown. When he died in 1854 the property reverted to Ellen.

SM-343, Ford/Sterling House St. Mary's County 8.2 Significance

Reference: Liber WTM 1, Folio 351

Grantee: John Baltzell Grantor: Ann Carpenter Date: January 4, 1848

Notes: The deed notes that the lot was occupied by Robert Ford. It notes that Ann Carpenter purchased the property from Richard Forrest, Joseph Forrest, Nicolaus Turck and Elizabeth A. Turck. While containing 1 3/4 acres, the lot did not include the portion of the lot on which the Methodist Church now stands. The property line is noted as being 10 feet from said wall of the

church.

Reference: Liber JH 13, Folio 402

Grantee: Ann Carpenter


Grantor: Richard Forrest, Joseph Forrest, Nicolaus Turck and Elizabeth A. Turck (heirs of James

Forrest Date: 1844

Notes: The deed notes that the property contains two acres.

SM-343, Ford/Sterling House St. Mary's County 8.3 Significance

Soon after they purchased the house, the Sterling's constructed a significant addition to the house. Because of their growing family, 12 children in all, the Sterling's built a Queen-Anne style turret as well as a rear kitchen ell on the north side of the dwelling. According to oral tradition, the addition was styled after the Sterling's old home on the Eastern Shore. The three sided, two story, turret featured a steep four sided roof covered with pressed-tin shingles. This design also has predecessors in Leonardtown such as the W.W. Sawyer House (SM-365). The house remains under the Sterling family ownership.





Ford-Sterling House St. May's County, MI Kirk Rance Ha March, 1997 Md SHPO W+ Selevations



5M- 343 Sterling House St. Many's County Kirk Ranzetta May 1997 Md SHPO View from porch - looking S 2 0/4



sn-343 Sterling House St. Mary's County Kirk Rance He May 1997 Md SHPO Ste elevations



SM-342 Sterling House St. May's County Kirk Ranze Ha May 1997 Md SHPO Interior - looking N 4 of 4

## MARYLAND HISTORICAL TRUST

## INVENTORY FORM FOR STATE HISTORIC SITES SURVEY

AND/OR COMMON				A The
AND OR COMMON				
Sterling House	x <sup>†</sup>	v <sup>c</sup> 11 t 1 kg <sup>c</sup>		= 11
LOCATION		a. 4,		
STREET & NUMBER 218 Washington	Street (old number	ing system)		
city, town Leonardtown	es piga	VICINITY OF	CONGRESSIONAL DISTR	ICT
STATE Maryland			COUNTY St. Mary's	
CLASSIFICA	TION			
<b>J</b>				
CATEGORY	OWNERSHIP	STATUS	PRES	ENTUSE
DISTRICT	PUBLIC	X_OCCUPIED	AGRICULTURE	MUSEUM
_XBUILDING(S)	XPRIVATE	UNOCCUPIED	COMMERCIAL	PARK
STRUCTURE	вотн	_WORK IN PROGRESS	EDUCATIONAL	X_PRIVATE RESID
SITE	PUBLIC ACQUISITION	ACCESSIBLE	ENTERTAINMENT	RELIGIOUS
OBJECT	_IN PROCESS	YES: RESTRICTED	GOVERNMENT	SCIENTIFIC
	BEING CONSIDERED		INDUSTRIAL	
	_BEING CONSIDERED	YES: UNRESTRICTED	MILITARY	TRANSPORTAT
NAME Ruth Sterling			Telephone #:	
STREET & NUMBER				
218 Washington	Street			
city, town Leonardtown		VICINITY OF	Maryland 20650' Z	ip code
	OF LEGAL DESCR	IPTION	Liber #:	
LOCATION (			Folio #:	
COURTHOUSE			TOTTO #:	
COURTHOUSE	St. Mary's County	Courthouse		
COURTHOUSE	St. Mary's County Courthouse Square	Courthouse		
COURTHOUSE. REGISTRY OF DEEDS, ETC.	Courthouse Square	Courthouse	STATE Maryland	
COURTHOUSE. REGISTRY OF DEEDS, ETC. STREET & NUMBER CITY, TOWN	Courthouse Square		STATE Maryland	
COURTHOUSE. REGISTRY OF DEEDS, ETC. STREET & NUMBER CITY, TOWN	Courthouse Square		STATE Maryland	
COURTHOUSE. REGISTRY OF DEEDS, ETC. STREET & NUMBER CITY, TOWN	Courthouse Square		STATE Maryland	
COURTHOUSE. REGISTRY OF DEEDS, ETC. STREET & NUMBER CITY, TOWN	Courthouse Square	ING SURVEYS		
COURTHOUSE. REGISTRY OF DEEDS, ETC. STREET & NUMBER CITY, TOWN  REPRESENT. TITLE	Courthouse Square	ING SURVEYS	STATE Maryland —STATE —COUNTY —LOCAL	

CONDITION

**CHECK ONE** 

**CHECK ONE** 

\_EXCELLENT ★GOOD \_\_DETERIORATED

\_\_UNALTERED

X ORIGINAL SITE

\_\_FAIR

\_\_RUINS
\_\_UNEXPOSED

\_\_MOVED DATE\_\_\_

## DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Sterling House is a two-story frame house of the late 19th century located on the east side of Washington St., facing west toward the intersection of Shadrick Street. The main facade on Washington St. is 4 bays wide; the northernmost bay projects in a polygonal tower through both floors, ending in a conical turret with a stamped metal roof and a knob finial. The main roof is low pitched with a metal standing seam surface. The exterior is covered in asbestos shingles. A 1-story flat roofed porch covers the remaining three bays of the west facade and curves around onto the south elevation. It has vernacular Tuscan square columns. The foundation is brick and there is a central brick chimney. The fenestration is varied, including several modern alterations and aluminum sash and green louvred shutters at some windows.

Several frame outbuildings behind the house may vary in construction date from contemporary with the house to modern

PERIOD	AF	REAS OF SIGNIFICANCE CH	IECK AND JUSTIFY BELOW	
PREHISTORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	_LANDSCAPE ARCHITECTURE	RELIGION
1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION	_LAW	SCIENCE
1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	_SCULPTURE
1600-1699	X_ARCHITECTURE	EDUCATION	MILITARY	_SOCIAL/HUMANITARIAN
_1700-1799	ART	ENGINEERING	MUSIC	_THEATER
X1800-1899	COMMERCE	EXPLORATION/SETTLEMENT	PHILOSOPHY	_TRANSPORTATION
1900-	COMMUNICATIONS	INDUSTRY	POLITICS/GOVERNMENT	_OTHER (SPECIFY)
		INVENTION		

SPECIFIC DATES

BUILDER/ARCHITECT

#### STATEMENT OF SIGNIFICANCE

The Sterling House is a fairly intact example of late-19th century small town residential architecture. The prominent corner turnet so often found in Queen Anne and other styles of the period is here tacked on to a basic traditional floor plan. Undoubtedly this was an attempt by the builder to emphasize the house's position on the main street of Leonardtown, but the siting of the house back from the street and the subsequent tree growth around it have now blunted the impact of this feature. Nevertheless, it indicates a feeling for urban location by the builder, in spite of Leonardtown's small size.

## 9 MAJOR BIBLIOGRAPHICAL REFERENCES

CONTINUE ON SEPARATE SHEET IF	NECESSARY	
10 GEOGRAPHICAL DATA		
ACREAGE OF NOMINATED PROPERTY		
VERBAL BOUNDARY DESCRIPTION		
LIST ALL STATES AND COUNTIES FOR PRO	OPERTIES OVERLAPPING STATE OR COUNTY BOUNDA	DIES
THE STATE OF THE STATE OF THE STATE OF THE	OF ENTIES OVEREALTING STATE ON COOKIT BOOKDA	RIES
STATE	COUNTY	
STATE	COUNTY	
III FORM PREPARED BY		
The state of the s		
NAME/TITLE		
Janet Davis		
ORGANIZATION	September 26	1980
MHT/SHA Surveyor	TELEPHONE	
21 State Circle	(301) 269-2438	
CITY OR TOWN	STATE	
Annapolis	Maryland 2140	1
VITTOMATTO		entition of the second

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature, to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 Supplement.


The Survey and Inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

RETURN TO: Maryland Historical Trust

The Shaw House, 21 State Circle

Annapolis, Maryland 21401

(301) 267-1438





Sterling House 218 Washington St. Leonard fown, 1110 photo: Janet Davis neg loc: MD Historica Trust 9 September 1980 west elevation